MAPEI

EN 1504-3



Flowable, shrinkage compensated, quick setting and hardening, high-ductility cementitious mortar, applied at temperatures as low as -5°C, with stiff steel fibres, for repairing concrete

0

#### WHERE TO USE

Repairing concrete structures where high thicknesses and special shapes of deterioration require the use of a free-flowing mortar, including at low temperatures.

#### Some application examples

- Repairing concrete floors (industrial, roads, airports).
- Repairing hydraulic structures (breather channels, canals and forced run-off channels).
- Restoration of floor slabs after removing deteriorated areas by scarifying.
- Repairs to joints in motorways.
- Rebuilding and levelling off the upper parts of base plinths and reinforced concrete bearing elements on motorway viaducts.
- Repairing lower spigots on pre-compressed beams for viaducts.

## **TECHNICAL CHARACTERISTICS**

**Mapegrout SV Fiber** is a pre-blended mortar in powder form, made from special hydraulic binders, high-strength cement, selected graded aggregates, special admixtures, and stiff, hooked fibres in brassplated steel according to a formula developed in MAPEI's own research laboratories.

The stiff, hooked fibres in brass-plated steel contained in **Mapegrout SV Fiber** have the following characteristics:

- length: 30 mm;
- diameter: 0.38 mm;
- tensile strength: > 2,600 MPa.

When **Mapegrout SV Fiber** is mixed with water, it forms a fluid mortar which is suitable for casting into formwork, without segregation, at a thickness of between 1 and 5 cm.

Once hardened, **Mapegrout SV Fiber** has the following characteristics:

- high flexural and compressive strength;
- modulus of elasticity, thermal expansion coefficient and permeability coefficient similar to high quality concrete;
- impermeable to water;

grout grout cibe

- excellent bond strength to old concrete, if dampened with water before application, and to reinforcement rods, especially if treated beforehand with Mapefer or Mapefer 1K;
- high resistance to wear due to abrasion or impact.

**Mapegrout SV Fiber** meets the main requirements of EN 1504-9 ("Products and systems for protecting and repairing concrete structures: definitions, requirements, quality control and conformity assessment. General principles for the use and application of systems"), and the minimum requirements for EN 1504-3 ("Structural and non-structural repairs") for R4-class structural mortars.

Mapegrout SV Fiber is recommended for thicknesses of up to 5 cm. If a thicker layer is required, we recommend the addition of 30 to 50% in weight of a suitable size aggregate; refer to the MAPEI Technical Services Department for further details. Thanks to its rapid hardening properties, Mapegrout SV Fiber may be walked on and opened





Preparation of the holes to insert the reinforcement rods (dowelling)



Removing dust with a vacuum cleaner



Fixing reinforcement rods for the dowelling in place using Adesilex PG1

to rubber-wheeled traffic after only 2 hours from application at a temperature of +23°C.

## RECOMMENDATIONS

- Do not apply **Mapegrout SV Fiber** on smooth surfaces. Roughen the surface of the substrate (ridges of at least 5 mm) and, if necessary, add reinforcement rods.
- Do not apply **Mapegrout SV Fiber** on surfaces treated with asphalt or bitumen.
- Do not add cement or admixtures to Mapegrout SV Fiber.
- Do not add water once the mix has started to set.
- Do not use **Mapegrout SV Fiber** for fixing elements accurately in place (use **Mapefill** or **Mapefill R**).
- Do not use **Mapegrout SV Fiber** if the temperature is lower than -5°C or higher than +35°C. If the product has to be applied at a different temperature than the recommended application range, please contact the Technical Services Department.
- **Mapegrout SV Fiber** hardens very quickly. Therefore we recommend preparing quantities of the product which will be applied within 20 minutes of mixing.
- Do not use Mapegrout SV Fiber if the packaging is damaged.

### APPLICATION PROCEDURE Preparation of the substrate

- Remove all deteriorated and loose concrete to form a solid, rough and strong substrate. Any areas previously repaired and which are not perfectly bonded must also be removed.
- Remove all dust, rust, cement laitance, grease, oil and old paint from the concrete and reinforcement rods by sandblasting.
- Saturate the substrate with water.
- Before casting, wait until excess surface water has evaporated off. Use compressed air to accelerate this process if required.

#### **Preparation of the mortar**

Pour 3.4-3.6 litres of water into the cement mixer, slowly add **Mapegrout SV Fiber**. Mix for 2-3 minutes, remove all powder which has stuck to the walls of the mixer and mix again for 2-3 minutes to form a fluid, lump-free mix.

A mortar mixer or drill with a mixer fitting may also be used, according to the quantity of mortar required. Avoid excessive air entrainment while mixing.

**Mapegrout SV Fiber** remains workable for approximately 20 minutes at +20°C. If there is insufficient boundary support, filling layers of **Mapegrout SV Fiber** thicker than 5 cm must only be applied after inserting reinforcing rods. A layer of at least 2 cm thick must be applied over the rods.

#### Application of the mortar

Pour **Mapegrout SV Fiber** in a continuous flow from one side only of the area to be filled, making sure that all air is expelled.

Immediately smooth over the surface with a trowel.

After application, **Mapegrout SV Fiber** does not require vibration. If applied in formwork, water must not be absorbed from **Mapegrout SV Fiber**. In this case, we recommend treating the formwork with a form-release agent (for example **Form Release Agent DMA 1000**).

#### PRECAUTIONS TO BE TAKEN DURING AND AFTER APPLICATION

- Only use bags of **Mapegrout SV Fiber** which have been stored unopened on their original pallets.
- In hot weather, store the product in a cool area and use cold water to prepare the mix.
- In cold weather, store the product in a closed area and protect from frost. Use tepid water to prepare the mortar.
- After application, and particularly in hot or windy weather, we recommend curing **Mapegrout SV Fiber** carefully, to avoid the mixing water evaporating too quickly, otherwise surface cracks may appear due to plastic shrinkage. Spray water on the surface 2-4 hours after applying the mortar and repeat this operation at regular intervals for at least 48 hours.

As an alternative, after tamping the surface of the mortar, apply **Mapecure E**, antievaporation agent in water emulsion with a low pressure pump, **Mapecure S**, filmforming curing agent for mortar and concrete or **Elastocolor Primer**, high-penetration solvent fixing agent for absorbent surfaces and curing agent for repair mortar. As with all the best products in this category available on the market, they impede a good bond of successive layers. Therefore, if a smoothing layer or paint is to be applied after, they must be completely removed by sandblasting.

If **Elastocolor Primer** is used to block evaporation, the final protective layer of **Elastocolor Paint** or **Elastocolor Rasante** may be applied directly on the surface without removing it.

#### Cleaning

Fresh mortar may be removed from tools used to prepare and apply the mortar with running water.

Once hardened, cleaning is much more difficult, and the mortar must be removed mechanically.

#### CONSUMPTION

Approximately 20 kg/m<sup>2</sup> per cm of thickness.

#### PACKAGING

**Mapegrout SV Fiber** is supplied in 25 kg bags.

## STORAGE

**Mapegrout SV Fiber** may be stored for up to 12 months in its original packaging.

# **TECHNICAL DATA (typical values)**

PRODUCT IDENTITY							
Class according to EN 1504-3:		R4					
Туре:		сс					
Consistency:		powder					
Colour:		grey					
Bulk density (kg/m³):		1,300					
Maximum aggregate size (mm):		2.5					
Dry solids content (%):		100					
Ion chloride content: – minimum requirement ≤ 0.05% - according to EN 1015-17 (%)		≤ 0.05					
APPLICATION DATA (at +20°C - 50% R.H.)							
Colour of the mix:		grey	grey				
Mixing ratio:		100 parts of <b>Mapegrout SV</b> water (approx. 3.4-3.6 litres	100 parts of <b>Mapegrout SV Fiber</b> with 13.5-14.5 parts of water (approx. 3.4-3.6 litres of water per 25 kg bag)				
Consistency of the mix:		fluid					
Slump according to EN 13395/1 (mm):		215	215				
Density of the mix (kg/m³):		2,350					
pH of the mix:		> 12					
Application temperature range:		from -5°C to +35°C					
Pot life of the mix:		approx. 20 minutes					
FINAL PERFORMANCE (13.5% mixing water	.)						
FINAL PERFORMANCE (13.5% mixing water Performance characteristics	) Test method	Requirements according to EN 1504-3 for R4 class	Prod	uct per	forman	ce	
FINAL PERFORMANCE (13.5% mixing water Performance characteristics Compressive resistance (MPa):	) Test method EN 12190	Requirements according to EN 1504-3 for R4 class mortar ≥ 45 (after 28 days)	Prod 2 hours 4 hours 8 hours 1 day 7 days 28 days	uct per -5°C <sup>(†)</sup> 10 15 18 27 57 70	formane 0°C 14 18 23 32 60 70	+20°C 23 30 40 50 65 70	
FINAL PERFORMANCE (13.5% mixing water Performance characteristics Compressive resistance (MPa): Flexural strength (MPa):	EN 12190	Requirements according to EN 1504-3 for R4 class mortar ≥ 45 (after 28 days) not required	Prod – 2 hours 4 hours 8 hours 1 day 7 days 28 days 15 (after 18 (after 20 (after	uct per -5°C <sup>(*)</sup> 10 15 18 27 57 57 70 er 1 day er 7 day er 7 day	formane 0°C 14 18 23 32 60 70 / at +2 /s at +2 /s at +2	ce +20°C 23 30 40 50 65 70 0°C 0°C) 0°C) 0°C)	
FINAL PERFORMANCE (13.5% mixing water Performance characteristics Compressive resistance (MPa): Flexural strength (MPa): Compressive modulus of elasticity (GPa):	EN 12190 EN 196/1 EN 13412	Requirements according to EN 1504-3 for R4 class mortar ≥ 45 (after 28 days) not required ≥ 20 (after 28 days)	Prod - 2 hours 4 hours 8 hours 1 day 7 days 28 days 15 (afte 20 (afte 29	uct per -5°C <sup>(1)</sup> 10 15 18 27 57 70 er 1 das er 7 das er 28 das 0 (after 2	forman 0°C 14 18 23 32 60 70 / at +2 /s at +2	Ce +20°C 23 30 40 50 65 70 65 70 0°C) 0°C) 0°C)	
FINAL PERFORMANCE (13.5% mixing water Performance characteristics Compressive resistance (MPa): Flexural strength (MPa): Compressive modulus of elasticity (GPa): Bond strength on concrete (substrate in MC 0.40 - water/cement ratio = 0.40) according to EN 1766 (MPa):	Test method EN 12190 EN 196/1 EN 13412 EN 1542	Requirements according to EN 1504-3 for R4 class mortar $\geq 45$ (after 28 days) $\geq 45$ (after 28 days)     not required $\geq 20$ (after 28 days) $\geq 2$ (after 28 days)	Prod - 2 hours 4 hours 8 hours 1 day 7 days 28 days 15 (after 18 (after 20 (after 29 > 2	-5°C <sup>(7)</sup> 10 15 18 27 57 70 er 1 day er 28 day 0 (after 2 2 (after 2	forman 0°C 14 18 23 32 60 70 70 7 at +2 ys at +2 ys at +2 8 days) 8 days)	ce +20°C 23 30 40 50 65 70 0°C) 0°C) 0°C) 0°C)	
FINAL PERFORMANCE (13.5% mixing water Performance characteristics Compressive resistance (MPa): Flexural strength (MPa): Compressive modulus of elasticity (GPa): Bond strength on concrete (substrate in MC 0.40 - water/cement ratio = 0.40) according to EN 1766 (MPa): Crack resistance:	Test method       EN 12190       EN 196/1       EN 13412       EN 1542       "O Ring Test"	Requirements according to EN 1504-3 for R4 class mortar $\geq$ 45 (after 28 days) $\geq$ 45 (after 28 days)     not required $\geq$ 20 (after 28 days) $\geq$ 2 (after 28 days) $\geq$ 2 (after 28 days)     not required $\geq$ 2 (after 28 days)     not required	Prod - 2 hours 4 hours 8 hours 1 day 7 days 28 days 15 (after 18 (after 29 29 29 29 20 29 20 29 20 29 20 29 20 20 20 20 20 20 20 20 20 20	-5°C <sup>(1)</sup> 10 15 18 27 57 70 er 1 day er 7 day er 7 day er 28 day 0 (after 2 2 (after 2	forman 0°C 14 18 23 32 60 70 / at +2 ys at +2 ys at +2 s days) 8 days) er 180 da	ce +20°C 23 30 40 50 65 70 0°C) 0°C) 0°C) 0°C	
FINAL PERFORMANCE (13.5% mixing water     Performance characteristics     Compressive resistance (MPa):     Flexural strength (MPa):     Compressive modulus of elasticity (GPa):     Bond strength on concrete (substrate in MC 0.40 - water/cement ratio = 0.40) according to EN 1766 (MPa):     Crack resistance:     Resistance to accelerated carbonation:	Test method     EN 12190     EN 196/1     EN 13412     EN 1542     "O Ring Test"     EN 13295	Requirements according to EN 1504-3 for R4 class mortar $able EN 1504-3$ mort required	Prod - 2 hours 4 hours 8 hours 1 day 7 days 28 days 15 (after 18 (after 20 (after 29 > 2 no cra mee	uct per       -5°C <sup>(7)</sup> 10       15       18       27       57       70       er 1 dager 7 dager 7 dager 7 dager 28 dag       9 (after 2       acks after 2       acks after 2	O°C       14       18       23       32       60       70       / at +2       //s at -2       //s at -2  //s at -2	ce +20°C 23 30 40 50 65 70 0°C) 0°C) 0°C) 0°C	
FINAL PERFORMANCE (13.5% mixing water Performance characteristics Compressive resistance (MPa): Flexural strength (MPa): Compressive modulus of elasticity (GPa): Bond strength on concrete (substrate in MC 0.40 - water/cement ratio = 0.40) according to EN 1766 (MPa): Crack resistance: Resistance to accelerated carbonation: Impermeability to water: – penetration depth - (mm):	Test method     EN 12190     EN 196/1     EN 13412     EN 1542     "O Ring Test"     EN 13295     EN 12390/8	Requirements according to EN 1504-3 for R4 class mortar $arrow arrow arr$	Prod - 2 hours 4 hours 8 hours 1 day 7 days 28 days 15 (after 18 (after 20 (after 29 > 2 no cra mee	-5°C <sup>(7)</sup> 10       15       18       27       57       70       er       acks after       acks after       ets spec       < 5	0°C       14       18       23       32       60       70       / at +2       /s at +2       8 days)       er 180 da       ification	ce +20°C 23 30 40 50 65 70 0°C) 0°C) 0°C) 0°C) 0°C) 0°C) 0°C) 10°C 0°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10°C 10	
FINAL PERFORMANCE (13.5% mixing water     Performance characteristics     Performance characteristics     Compressive resistance (MPa):     Flexural strength (MPa):     Compressive modulus of elasticity (GPa):     Bond strength on concrete (substrate in MC 0.40 - water/cement ratio = 0.40) according to EN 1766 (MPa):     Crack resistance:     Resistance to accelerated carbonation:     Impermeability to water: - penetration depth - (mm):     Capillary absorption (kg/m <sup>2</sup> ·h <sup>0.5</sup> ):	Test method     EN 12190     EN 12190     EN 196/1     EN 13412     EN 1542     "O Ring Test"     EN 13295     EN 12390/8     EN 13057	Requirements according to EN 1504-3 for R4 class mortar $abstriamed base in the second mortal mor$	Prod	-5°C <sup>(7)</sup> 10       15       18       27       57       70       er 1 day       er 28 day       er 28 day       e (after 2       acks after       ets spec       < 5       < 0.3	O°C       14       18       23       32       60       70       / at +2       /s at +2       /s at +2       /s at +2       /s at ys)       ar 180 days)	ce +20°C 23 30 40 50 65 70 0°C) 0°C) 0°C) 0°C) 0°C)	
FINAL PERFORMANCE (13.5% mixing water     Performance characteristics     Compressive resistance (MPa):     Flexural strength (MPa):     Compressive modulus of elasticity (GPa):     Bond strength on concrete (substrate in MC 0.40 - water/cement ratio = 0.40) according to EN 1766 (MPa):     Crack resistance:     Resistance to accelerated carbonation:     Impermeability to water: - penetration depth - (mm):     Capillary absorption (kg/m <sup>2</sup> ·h <sup>0.5</sup> ):     Slip-resistance of steel reinforcement rods - bonding stress (MPa):	Test method       EN 12190       EN 196/1       EN 13412       EN 1542       "O Ring Test"       EN 13295       EN 13057       RILEM-CEB-FIP RC6-78	Requirements according to EN 1504-3 for R4 class mortar $abstriamed based base$	Prod - 2 hours 4 hours 8 hours 1 day 7 days 28 days 15 (after 18 (after 20 (after 29 > 2 no cra mee	$-5^{\circ}$ C <sup>(7)</sup> 10     15     18     27     57     70     or 1 days     or 7 days     or 28 day     o (after 2     acks after     acks after     ets spec     < 5     < 0.3     > 24	forman 0°C 14 18 23 32 60 70 / at +2 /s at +2 8 days) 28 days) er 180 da ification 35 5	ce +20°C 23 30 40 50 65 70 0°C) 0°C) 0°C) 0°C) 0°C)	
FINAL PERFORMANCE (13.5% mixing water     Performance characteristics     Performance characteristics     Compressive resistance (MPa):     Flexural strength (MPa):     Compressive modulus of elasticity (GPa):     Bond strength on concrete (substrate in MC 0.40 - water/cement ratio = 0.40) according to EN 1766 (MPa):     Crack resistance:     Resistance to accelerated carbonation:     Impermeability to water: - penetration depth - (mm):     Capillary absorption (kg/m <sup>2</sup> ·h <sup>0.5</sup> ):     Slip-resistance of steel reinforcement rods - bonding stress (MPa):     Thermal compatibility measured as bonding according to EN 1542 (MPa): - freeze-thaw cycles with deicing salts: - storm cycle:	Test method       Test method       EN 12190       EN 196/1       EN 13412       EN 13412       EN 1542       "O Ring Test"       EN 13295       EN 13295       EN 13295/       EN 13057       RILEM-CEB-FIP       RC6-78       EN 13687/1       EN 13687/2       EN 13687/2       EN 13687/2	Requirements according to EN 1504-3 for R4 class mortar $\geq$ 45 (after 28 days) $\geq$ 45 (after 28 days)     not required $\geq$ 20 (after 28 days) $\geq$ 20 (after 28 days) $\geq$ 2 (after 28 days)     carbonation depth ≤ than the reference concrete (MC 0.45 type water/cement ratio = 0.45) according to UNI 1766     not required $\leq$ 0.5     not required $\leq$ 2 (after 50 cycles) $\geq$ 2 (after 30 cycles)	Prod	uct per $-5^{\circ}C^{\circ}$ 10     15     18     27     57     70     er     er     2     (after 2     acks after     ets spec     < 5     < 0.3     > 24     > 2     > 2     > 2     > 2     > 2     > 2     > 2     > 2     > 2     > 2	0°C       14       18       23       32       60       70       / at +2       /s at -2       /s at +2       /s at +2  /s at +2      /s at +2	ce +20°C 23 30 40 50 65 70 0°C) 0°C) 0°C) ays s	
FINAL PERFORMANCE (13.5% mixing water     Performance characteristics     Performance characteristics     Compressive resistance (MPa):     Flexural strength (MPa):     Compressive modulus of elasticity (GPa):     Bond strength on concrete (substrate in MC 0.40 - water/cement ratio = 0.40) according to EN 1766 (MPa):     Crack resistance:     Resistance to accelerated carbonation:     Impermeability to water: - penetration depth - (mm):     Capillary absorption (kg/m <sup>2</sup> ·h <sup>0.5</sup> ):     Slip-resistance of steel reinforcement rods - bonding according to EN 1542 (MPa):     Thermal compatibility measured as bonding according to EN 1542 (MPa):     - freeze-thaw cycles with deicing salts:     - storm cycle:     - dy thermal cycle:     Toughness: - load at first cracking: - toughness index:	Test method       Test method       EN 12190       EN 196/1       EN 196/1       EN 13412       EN 13295       EN 13295       EN 13295/2       EN 13687/2       EN 13687/4       ASTM C1018	Requirements according to EN 1504-3 for R4 class mortar $abstringtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtharpingtha$	Prod	uct per $-5^{\circ}C^{(7)}$ 10       15       18       27       57       70       per       acks after       ets spec       < 2       > 24       > 22       > 22       > 22       > 20 $ _{20} > 2 _{20} > 2 _{20}$	forman 0°C 14 18 23 32 60 70 / at +2 /s at +2 /s at +2 8 days) ar 180 da ification 55 5 5 5 6 6 6 7 7 7 8 6 7 7 7 8 6 7 7 7 7 7 7 7 7 7 7 7 7 7	ce +20°C 23 30 40 50 65 70 0°C) 0°C) 0°C) 0°C) 0°C 0°C 0°C	



Preparation of the Mapegrout SV Fiber mix



Consistency of the mix



Application of Mapegrout SV Fiber in the area under repair

 $^{()}$  The strength values at -5°C refer to mixes prepared using product, water and formworks held at +5°C and then cured at -5°C.







Levelling off Mapegrout SV Fiber with a straight-edge



Tamping Mapegrout SV Fiber

alan s



The product is available in special 25 kg vacuum-packed polyethylene bags which may be stored outside for the entire construction phase of the site. Rain has no effect on its characteristics. The product complies with the conditions of Annex XVII to Regulation (EC) N° 1907/2006 (REACH), item 47.

## SAFETY INSTRUCTIONS FOR PREPARATION AND APPLICATION

**Mapegrout SV Fiber** contains cement that when in contact with sweat or other body fluids causes irritant alkaline reaction and allergic reactions to those predisposed. It can cause damage to eyes. In case of contact with eyes or skin wash immediately with plenty of water and seek medical attention. It is recommended to use protective gloves and goggles and to take the usual precautions when handling chemical products.

For further and complete information about the safe use of our product please refer to the latest version of our Material Safety Data Sheet.

PRODUCT FOR PROFESSIONAL USE.

## WARNING

Although the technical details and recommendations contained in this product data sheet correspond to the best of our knowledge and experience, all the above information must, in every case, be taken as merely indicative and subject to confirmation after long-term practical application; for this reason, anyone who intends to use the product must ensure beforehand that it is suitable for the envisaged application. In every case, the user alone is fully responsible for any consequences deriving from the use of the product.

Please refer to the current version of the Technical Data Sheet, available from our website www.mapei.com

All relevant references for the product are available upon request and from www.mapei.com

